

opti-myst[®]

It's not gas. **It's better.**

 **Dimplex[®]**

A new level of realism
you have to see
to believe.

The revolutionary Opti-myst® fireplaces utilize ultrasonic technology to produce the most compelling flame and smoke effect in the market. As mist rises up through the media bed, light reflects against the water droplets creating a convincing illusion of flames and smoke.

The ideal alternative for gas or wood, Opti-myst offers incredible realism without the mess or costly installation of traditional fireplaces. Simply plug in, and enjoy!

Wall-mount Fireplaces

Use in any space large or small, including bedrooms, bathrooms, foyers and more.

Media Console and Mantels

Exquisitely designed with premium grade finishes and patented flame technology.

Cassettes and Inserts

Plug-in cassettes and inserts, perfect for custom applications, as well as the new line of Opti-myst Pro direct-wire models for use in seamless built-in designs.



Stockbridge

NEW! OS2527GB | High Gloss Finish
24³/₈" x 26" x 15³/₈" (WxHxD)
62.0 cm x 66.1 cm x 39.0 cm
120 V | 1,400 W | 4,777 BTU

- 🔥 **Thermostat-controlled heater**
- 💧 **Easy fill water reservoir**



Quintus

GOS40C-1499SC | Silver Charcoal Finish
Includes DF1400CH plug-in cassette
with heat receptacle

72¹/₂" x 31³/₄" x 21⁵/₈" (WxHxD)
184.2 cm x 81.0 cm x 54.9 cm
120 V | 200 W | 682 BTU

- 🔥 **Thermostat-controlled heater**
- 🔥 **Curved plate**
- 🚫 **Fully assembled**

Features



Flame

Revolutionary ultrasonic technology produces a fine mist to create the illusion of flames and smoke.



Remote

Includes a convenient remote control for ease of use at your fingertips.



Economical

Economical to operate. Costing only pennies per hour.*



Green

The green alternative. No harmful particulates or emissions and 100% efficient.



Instant Ambiance

Plugs into any standard household outlet.



Quick Assembly

Sets up in minutes with step-by-step assembly instructions allowing you more time to enjoy your fireplace.



Easy Fill Water Tank

Offers 12-14 hours of continuous operation before refilling.



Safe

Completely safe, cool flames, no emissions.


*Based on national average residential electricity rate. Rates vary.

Opti-myst® 600 Cassette

DFI600L | 120V plug-in cassette

22 1/4" x 13" x 8 5/8" (WxHxD)

56.5 cm x 33.0 cm x 21.9 cm



Opti-myst® Insert

DLGM29 | 27" Opti-myst® insert

27" x 14" x 14 1/4" (WxHxD)

68.6 cm x 35.6 cm x 36.1 cm



Inner glow logs



Glowing ashes



Metal log grate

Mimico

GOS40C-1454RG | Rift Grey Finish
Includes DFI400C plug-in cassette
**No heater included*

41³/₄" x 61⁷/₈" x 15³/₄" (WxHxD)
106.0 cm x 157 cm x 40.0 cm
120 V | 200 W | 682 BTU

-  **Curved Plate**
-  **Room Divider**
-  **Fully Assembled**



Specialty Features



Thermostat-controlled Heater
Includes a powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable.



Direct Wire
Fireplace can be direct-wired for a seamless look.



Inner Glow Logs
Pulsating embers glow from within the realistic, hand crafted logs.



Glowing Ashes
A natural arrangement of glowing ashes creates an authentic feel.



Metal Log Grate
Traditional metal log grate enhances the fireplace look while cradling the handcrafted logs.



Optional Metal Backing
Metal backer inserts into fireplace for dramatic presentation of flame effect.



Ember Bed Options
Choose from logs molded from actual wood for incredible realism or natural-looking rocks for a contemporary look.



Curved Plate
Flames rise from the center of a polished curved plate, creating a stylish and contemporary look.



Room Divider
Finished on both sides. Perfect for separating spaces with style.

Opti-myst® Cassettes and Inserts



DFI400C | 120V plug-in cassette
DFI400CH | 120V plug-in cassette
with receptacle for optional heater
16" x 8¹/₈" x 8⁵/₈" (WxHxD)
40.6 cm x 20.6 cm x 21.9 cm

 **Optional heater**



DFI400LH | 120V plug-in cassette
with receptacle for optional heater
16" x 13" x 8⁵/₈" (WxHxD)
40.6 cm x 33.0 cm x 21.9 cm

 **Optional heater**



DFI400RH | 120V plug-in cassette
with receptacle for optional heater
16" x 8¹/₂" x 8⁵/₈" (WxHxD)
40.6 cm x 21.6 cm x 21.9 cm

 **Optional heater**



DFI600L | 120V plug-in cassette
22¹/₄" x 13" x 8⁵/₈" (WxHxD)
56.5 cm x 33.0 cm x 21.9 cm



Opti-myst® Pro

BOF4068L | Vertical
19³/₈" x 32¹/₂" x 10⁵/₈" (WxHxD)
49.2 cm x 82.6 cm x 27.0 cm

 **Direct-wired**
 **Thermostat-controlled heater**



Opti-myst® Pro

BOF4056L | Portrait
19⁵/₈" x 27⁵/₈" x 10⁵/₈" (WxHxD)
49.8 cm x 70.2 cm x 27.0 cm

 **Direct-wired**
 **Thermostat-controlled heater**



Opti-myst® Pro

BOF6056L | Large Portrait
25¹/₂" x 27⁵/₈" x 10⁵/₈" (WxHxD)
64.8 cm x 70.2 cm x 27.0 cm

 **Direct-wired**
 **Thermostat-controlled heater**



Opti-myst® Insert

DLGM29 | 27" Opti-myst® insert
27" x 14" x 14¹/₄" (WxHxD)
68.6 cm x 35.6 cm x 36.1 cm

 **Inner glow logs**
 **Glowing ashes**
 **Metal log grate**



Opti-myst® Pro

BOF6056L | Large Portrait
25½" x 27⅝" x 10⅝" (WxHxD)
64.8 cm x 70.2 cm x 27.0 cm

- Direct-wired
- Thermostat-controlled heater

Your authorized Dimplex dealer:

For more information on product specifications, please visit dimplex.com

Dimplex®

Dimplex North America Limited
1367 Industrial Road | Cambridge | ON N1R 7G8
Telephone: 1-888-DIMPLEX | Fax: 1-800-668-6665

Visit us online at: www.dimplex.com



Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Protected by one or more of the following patents: U.S. Patents: 7,967,690, 8,136,276, 8,361,367, 8,413,358, 8,480,937. Other patents pending. © 2015 Dimplex North America Limited.



Printed in Canada LI-999 09/15