

Monessen Vent Free Gas Logs

WARMTH. AMBIANCE. CONVENIENCE.



DELUXE SERIES

NATURAL BLAZE BURNER

Our Kentucky Wildwood, Stony Creek, Highland Oak and Berkley Oak log sets feature exclusive technology from Monessen, as well as a more robust look, making them perfect for larger fireplaces.

EXCLUSIVE Natural Blaze Technology

This innovative burn system provides taller, more lively flames, creating a realistic, moving fire. Achieving beautiful yellow flames instantly, Natural Blaze technology produces an authentic fire, every time.

EXCLUSIVE Signature Command® Option

With electronic ignition, this system lights the pilot only when you turn it on, eliminating the need for a standing pilot and saving energy! It's battery operated, so you can be assured of fireplace operation even if the power goes out. And with 3-step flame height adjustment and optional touch screen remote, you'll have the ultimate in fireplace control at your fingertips.



▲ Kentucky Wildwood Log Set (KW-R)

- EXCLUSIVE Natural Blaze Technology
- Available with EXCLUSIVE Signature Command system or millivolt control
- Burner comes standard with cast iron grate
- High definition refractory cement hand-painted for fine detailing and ultimate realism
- Includes volcanic rock, rock wool embers and ember bed log switch

▼ Stony Creek (SC-R) with Enhancement Kit

- EXCLUSIVE Natural Blaze Technology
- Available with the EXCLUSIVE Signature Command system or millivolt control
- Taller log stack is perfect for bigger fireplaces
- Low profile design for glowing ember look
- Refractory cement for fine detailing
- Enhancement kit available with two additional logs
- Includes volcanic rock, rock wool embers and embered log switch



▼ Highland Oak Log Set (HO-R, HO-F)

- EXCLUSIVE Natural Blaze Technology
- Available with EXCLUSIVE Signature Command system or millivolt control
- Low profile design for a true glowing ember look
- Refractory cement for fine detailing or ceramic fiber to reflect more heat
- Includes volcanic rock and rock wool embers



▼ Berkley Oak Log Set (BO-R,BO-F)

- EXCLUSIVE Natural Blaze Technology
- Available with EXCLUSIVE Signature Command system or millivolt control
- Low profile design for a true glowing ember look
- Refractory cement for fine detailing or ceramic fiber to reflect more heat
- Includes volcanic rock and rock wool embers



TRADITIONAL SERIES TRIPLE PLAY® & DEB BURNERS

These log sets feature a low-profile burner for a piled ember look and a front burner to create the effect of glowing coals. They also provide radiant heat for more efficient warmth and cozy comfort.

Charred Timber Log Set (CTCL) ▶

- Triple Play burner system with yellow flames, deep ember bed and glowing logs
- Ceramic fiber reflects more heat
- Available in millivolt control
- Includes volcanic rock, rock wool embers and ember bed log switch



Blazing Oak Log Set (BOCL) ▶

- Triple Play burner system with yellow flames, deep ember bed and glowing logs
- Ceramic fiber reflects more heat
- Available in millivolt control
- Includes volcanic rock, rock wool embers and ember bed log switch



Aged Hickory Log Set (DEB) ▶

- Ember Blaze burner system with low-profile design for piled ember look
- Ceramic fiber reflects more heat
- Available in millivolt control
- Includes volcanic rock



SPECIALTY OPTION NATURAL BLAZE BURNER

For see-thru fireplaces, this log set has a unique design on both sides for a truly authentic stack, no matter how you look at it.

See-Thru Log Set (NBST27)

- EXCLUSIVE Natural Blaze Technology
- Ceramic fiber reflects more heat
- Available in millivolt control
- Includes volcanic rock, rock wool embers and ember bed log switch



CLASSIC SERIES EYF & PH BURNERS

These log sets feature burners with flames in the front and rear, adding warmth and ambience to any room.

Mountain Oak Log Set (EYF-R) ▶

- EYF burner
- Refractory cement for fine detailing
- Detailed log design
- Available in millivolt and manual control
- Includes volcanic rock



Charred Hickory Log Set (EYF-F) ▶

- EYF burner
- Ceramic fiber reflects more heat
- Detailed log design
- Available in millivolt and manual control
- Includes volcanic rock



Mountain Cedar Log Set (PH-R) ▶

- PH burner
- Refractory cement for fine detailing
- Available in millivolt and manual control



Optional Accessories



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Ember remote receiver cover



Flat black adjustable hood (28" - 48")



Metal insulated remote receiver cover



Cinders



Log switch with 12" wire



Decorative fiber ember kit

THE BENEFITS OF CHOOSING MONESSEN

All of our vent free gas log sets offer:

THE REAL DEAL

All of our log sets are inspired by nature and hand-painted for incredible realism and life-like detail. This gives every log set a truly unique and authentic look.

TWO STYLES — REFRACTORY CEMENT OR CERAMIC FIBER

You'll see log sets offered in one of these two materials. Refractory Cement log sets allow for more fine detailing while Ceramic Fiber log sets reflect more heat.

INSTALL ALMOST ANYWHERE

Our log sets allow for installation in any existing firebox without the need for venting — making them a terrific choice for just about any room in your home. (All available for natural gas or propane.)

MAXIMUM SAVINGS

With a remarkable 99% efficiency rating, Monessen vent free gas log sets maximize heating operation to provide optimum fuel savings.

Kentucky Wildwood Log Set (KW-R)
shown on cover

LUXURY SERIES

MOJO BURNER

Our designer log set offers up to 38,000 BTUs, instant dancing yellow flames, flickering embers and standard grate for an incredibly realistic look. Its robust design makes the Mojo the perfect choice for taller fireplace openings or existing masonry fireplaces.

Mojo Vent Free Log Set (MJ27)


- EXCLUSIVE Natural Blaze Technology
- Massive random stack fiber log set
- Ceramic fiber reflects more heat
- Hi/Lo thermostatic remote control
- Includes grate, volcanic rock, rock wool and embers



Specifications

MODEL	Fireplace Opening (Width x Height x Depth x Rear Width)		BTU/Hr. Manual Control		BTU/Hr. Millivolt Control		BTU/Hr. Signature Command		Heating Capacity	
	Manual/Millivolt	Signature Command	NG	LP	NG	LP	NG	LP	(Sq. Ft.)*	
CLASSIC										
PH18-R	25"W x 17"H x 13"D x 17½"RW	—	18,000-30,000	22,500-30,000	20,000-30,000	24,500-30,000	—	—	1,500	
PH24-R	29"W x 17"H x 13"D x 19½"RW	—	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	—	—	1,800	
EYF24-F	29"W x 17"H x 13"D x 19½"RW	—	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	—	—	1,800	
EYF18-R	25"W x 17"H x 13"D x 17½"RW	—	18,000-30,000	22,500-30,000	20,000-30,000	24,500-30,000	—	—	1,500	
EYF24-R	29"W x 17"H x 13"D x 19½"RW	—	19,000-36,000	25,000-36,000	24,000-36,000	29,000-36,000	—	—	1,800	
TRADITIONAL										
DEB20	27"W x 17"H x 13¼"D x 18"RW	—	—	—	18,000-28,000	20,000-28,000	—	—	1,400	
DEB24	28½"W x 17"H x 13¼"D x 22¼"RW	—	—	—	25,000-34,000	30,000-34,000	—	—	1,700	
DEB30	32.5"W x 17"H x 13¼"D x 25½"RW	—	—	—	25,000-34,000	30,000-34,000	—	—	1,700	
CTCL18	26"W x 17"H x 13"D x 18"RW	—	—	—	19,000-28,000	23,000-28,000	—	—	1,400	
CTCL24	29"W x 17"H x 13"D x 22¼"RW	—	—	—	26,000-38,000	26,000-34,000	—	—	1,900	
CTCL30	33"W x 17"H x 13"D x 25¼"RW	—	—	—	26,000-38,000	26,000-34,000	—	—	1,900	
BOCL18	26"W x 17"H x 13"D x 18"RW	—	—	—	19,000-28,000	23,000-28,000	—	—	1,400	
BOCL24	29"W x 17"H x 13"D x 22¼"RW	—	—	—	26,000-38,000	26,000-34,000	—	—	1,900	
BOCL30	33"W x 17"H x 13"D x 25¼"RW	—	—	—	26,000-38,000	26,000-34,000	—	—	1,900	
DELUXE										
BO18-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	—	—	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400	
BO24-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
BO30-R	33"W x 17"H x 13"H x 25¼"RW	35"W x 17"H x 13"H x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
BO18-F	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	—	—	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400	
BO24-F	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
BO30-F	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"H x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
SC18-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	—	—	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400	
SC24-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
SC30-R	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"H x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
HO18-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	—	—	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400	
HO24-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
HO30-R	33"W x 17"H x 13"H x 25¼"RW	35"W x 17"H x 13"H x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
HO18-F	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	—	—	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400	
HO24-F	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
HO30-F	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"H x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
KW18-R	26"W x 17"H x 13"D x 18"RW	28½"W x 17"H x 13"D x 20¼"RW	—	—	19,000-28,000	22,000-27,000	19,000-28,000	22,000-27,000	1,400	
KW24-R	29"W x 17"H x 13"D x 22¼"RW	31"W x 17"H x 13"D x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
KW30-R	33"W x 17"H x 13"D x 25¼"RW	35"W x 17"H x 13"H x 25¼"RW	—	—	25,000-37,000	28,000-36,000	25,000-37,000	28,000-36,000	1,850	
LUXURY										
MJ27NR	30"W x 19"H x 14"D x 27"RW	—	—	—	25,500-38,000	29,500-37,000	—	—	1,900	
SPECIALTY SEE-THRU										
NBST27	32"W x 21¼"H x 21"D	—	—	—	26,000-39,000	30,000-39,000	—	—	1,950	

*Individual results may vary and are dependent on the shape and design of your space, the amount and quality of insulation in your home, the outdoor temperature, and other factors.



For more information about Monessen efficient and environmentally friendly products, please visit monessenhearth.com




LOVE AT FIRST LIGHT

149 Cleveland Drive, Paris, Kentucky 40361

monessenhearth.com

Your Monessen Dealer:



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2015 Hearth & Home Technologies MON8008 Ver10